

INDEX MAPS.


T.19 N. R.8 E. 2nd Mer.

	412		412		412		411		411		411	
414	6	435	5	430	4	426	3	423	2	418	1	410
	436		435		430		426		422		418	
414	7	435	8	429	9	425	10	422	11	417	12	410
	434		434		429		425		421		417	
413	18	433	17	428	16	425	15	421	14	417	13	409
	433		433		428		424		421		416	
413	19	432	20	428	21	424	22	420	23	416	24	409
	432		432		428		424		420		416	
413	30	431	29	427	28	423	27	420	26	415	25	409
	431		431		427		423		419		415	
413	31	430	32	427	33	423	34	419	35	415	36	408
	408		408		407		407		407		407	

Meandering 436

T.20 N. R.8 E. 2nd Mer.

	450		449		449		449		449		448	
451	6	472	5	466	4	463	3	462	2	458	1	448
	471		471		466		462		458		458	
451	7	470	8	466	9	462	10	457	11	454	12	448
	470		470		465		461		457		454	
451	18	470	17	465	16	461	15	457	14	454	13	447
	469		469		465		461		456		453	
450	19	469	20	464	21	460	22	456	23	453	24	447
	468		468		464		460		456		453	
450	30	468	29	464	28	459	27	455	26	452	25	447
	467		467		463		459		455		452	
450	31	467	32	463	33	459	34	455	35	452	36	447
	446		446		446		445		445		445	

 The figures on the lines refer to the page.

407

Township 19 North, Range 8 East, 3rd Mer. Ind.^a
South Boundary. var. 6°30'E

West on S. Side of Sec. 36
 14.35 an Ash 12 in. diam.
 40.00 Let g. Sec. post from which
 a Beech 24 in. diam. bears N 76 E 33 W. dist. 9
 a W. Oak 12 " " " S 84 W 35 " "
 50.39 a Hickory 24 " "
 80.00 Let post cut to Secs. 35 & 36 from which
 a Buckeye 8 in. diam. bears N 80 E 16 W. dist. 9
 a Hickory 12 " " " S 75 W 29 " "
 Sand rich Buck. Sugar. Poplar Spruce &

West on S. Side of Sec. 35
 40.00 Let g. Sec. post from which
 a Beech 14 in. diam. bears N 79 W 29 W. dist. 9
 an ash 18 " " " S 84 E 30 " "
 45.66 a Beech 36 " "
 60.00 a Branch 10 W. wide corner S. W.
 80.00 Let post cut to Secs. 34 & 35 from which
 an ash 24 in. diam. bears S 35 E 8 W. dist. 9
 a W. Oak 12 " " " N 35 W 3 " "
 Sand rolling, Timber same as on the last line.

West on S. Side of Sec. 34
 3.00 a Oak 25 W. wide corner S. W.
 40.00 Let g. Sec. post from which
 an Ash 10 in. diam. bears S 27 W 7 W. dist. 9
 a Do 12 " " " N 27 E 8 " "
 80.00 Let post cut to Secs. 33 & 34 from which
 a Hickory 10 in. diam. bears N 4 E 21 W. dist. 9
 a Beech 10 " " " S 13 E 27 " "
 Sand & Timber same as on the last line.

West on S. Side of Sec. 33
 16.62 a Beech 18 in. diam.

40.00 Set g. Sec. post from which
 a Beech 8 in. diam. bears N 2 W W. dist. 8
 a Do 12 " " " S 66 E 25 " "
 73.60 a Hickory 10 " "
 80.00 Set post on to Sec. 32 + 33 from which
 a Sugar 34 in. diam. bears N 29 W 8 W. dist. 8
 a W. Oak 24 " " " S 2 W 24 " "
 Sand & Timber Same as on the last line.

West on S. Side of Sec. 32

40.00 Set g. Sec. post from which
 a Beech 24 in. diam. bears N 76 E 26 W. dist. 8
 a Do 24 " " " S 77 W 21 " "
 80.00 Set post on to Sec. 31 + 32 from which
 a Beech 24 in. diam. bears S 75 E 9 W. dist. 8
 a Do 10 " " " N 58 W 18 " "
 Sand & Timber Same as on the last line.

West on S. Side of Sec. 31

7.50 To a Road
 20.00 a Creek 25 W. wide corner S. W.
 39.00 To a Road
 40.00 Set g. Sec. post from which
 a Beech 12 in. diam. bears N 69 E 11 W. dist. 9
 a Do 24 " " " N 69 W 13 " "
 49.8 a R. Oak 10 " "
 85.50 Entered Range line between Ranges 7 + 8 E.
 7.25 South of Temp. post & set post on to Towns
 18 + 19 North, Ranges 7 + 8 East from which
 a Beech 12 in. diam. bears S 27 W 14 W. dist. 8
 an Ash 6 " " " S 4 E 10 " "
 Sand & Timber Same as on the last line.

East Boundary -

Var. 6° 10' E.

North on E. Side of Sec. 36

M 19 N. - W. & E. 9th Mer. Indiana

a Beech 24 in. diam. View N 8 E 43 W. dist. 9
 a Cherry 12 " " " N 21 W 34 " "
 80.00 Set post cor. to Secs. 12 & 13 from which
 a Beech 12 in. diam. View S 50 E 45 W. dist. 9
 a Do " " " " S 77 W 41 " "
 Land & Timber same as on the last line.

North on E. Side of Sec. 12

11.80 an Elm 12 in. diam.
 40.00 Set cor. Sec. post from which
 a Hickory 10 in. diam. View S 19 W 29 W. dist. 9
 a Do 24 " " " " N 3 E 41 " "
 33.18 a W. Oak 14 " "
 80.00 Set post cor. to Secs. 14 & 15 from which
 an Elm 12 in. diam. View S 73 W 26 W. dist. 9
 a W. Oak 10 " " " " N 54 E 16 " "
 Land & Timber same as on the last line

North on E. Side of Sec. 1

26.60 a W. Oak 30 in. diam.
 27.00 a Road
 40.00 Set cor. Sec. post from which
 a Sugar 8 in. diam. View S 33 E 40 W. dist. 9
 a Walnut 30 " " " " S 77 W 20 " "
 57.70 a Buckeye 14 " "
 54.3 Intersect White River set post from which
 an Elm 18 in. diam. View N 6 W 8 W. dist. 9
 an Oak 8 " " " " S 46 E 8 " "
 57.63 on River set post on N. bank from which
 a Hackberry 8 in. diam. View N 4 W 20 W. dist. 9
 a Buckeye 10 " " " " S 44 W 7 " "
 78.74 Set post cor. to Townships 19 & 20 North, Range
 5 & 9 East from which
 an Oak 36 in. diam. View N 5 W 15 W. dist. 9
 a Beech 14 " " " " S 12 E 15 " "
 Description of Land & Timber omitted —

Ms 19 N. - T. R. 8 E. T²^d Mer. Indiana 411

North Boundary.

Var. 6° 15' E.

West on S. Side of Sec. 36 T. 20 N. - R. 8 E.

25.25 a Buck 13 in. diam.

40.00 Set g. Sec. post from which

a Buck 14 in. diam. bears N 81 E 21 W. dist. 9

a Poplar 20 " " " S 85 W 46 "

61.23 a W. Oak 14 " "

80.00 Set post en. to Secs. 35 & 36 from which

an Ash 15 in. diam. bears S 88 E 33 W. dist. 9

a Ironwood 8 " " " N 77 W 15 " "

On lent land. Buck. Oak. Ash. Spruce &

West on S. Side of Sec. 35 T. 20 N. - R. 8 E.

14.94 a W. Oak 16 in. diam.

30.00 a Brook 8 W. wide corner S.

40.00 Set g. Sec. post from which

a Sugar 10 in. diam. bears S 75 E 6 W. dist. 9

a Do 14 " " " S 60 W 14 " "

53.42 a Buckeye 14 " "

80.00 Set post en. to Secs. 34 & 35 from which

a Buck 10 in. diam. bears N 73 E 27 W. dist. 9

a Do 22 " " " S 42 W 20 " "

On good farming land. Timber Buck, ash. Sugar. Spruce &

West on S. Side of Sec. 34 T. 20 N. - R. 8 E.

30.74 a Walnut 130 in. diam.

40.00 Set g. Sec. post from which

a Hornbeam 6 in. diam. bears N 54 E 6 W. dist. 9

an Oak 16 " " " N 54 W 21 " "

62.74 a Buck 12 " "

80.00 Set post en. to Secs. 33 & 34 from which

a Hickory 20 in. diam. bears N 88 E 20 W. dist. 9

a Buck 12 " " " S 62 E 31 " "

On lent land. Buck. Hickory. Oak. Spruce &

19 N. - W. 8 E. 9th Mer. Indiana

ch. Mer.

West on S. Side of Sec. 33 T. 20 N. - R. 8 E.

40.00 Set q. Sec. post from which
a Dogwood 10 in. diam. bears N 65 E 12 W. dir. 8
a Beech 13 " " " S 73 W 11 " "

74.75 a Do 20 " "

80.00 Set post cu. to Secs. 32 & 33 from which
an Oak 8 in. diam. bears N 78 E 19 W. dir. 8
a Do 8 " " " " S 83 W 23 " "

Land & Timber same as on the last line -

West on S. Side of Sec. 31 T. 20 N. - R. 8 E.

40.00 Set q. Sec. post from which
a Cherry 8 in. diam. bears S 65 E 24 W. dir. 8
a Hickory 10 " " " " N 42 W 5 " "

65.90 a Buckeye 10 " "

80.00 Set post cu. to Secs. 31 & 32 from which
an Ironwood 5 in. diam. bears S 53 E 10 W. dir. 8
a Sugar 20 " " " " N 60 W 5 " "

On good farming land. Timber Beech,
Ash. Sugar. Spruce &c

West on S. Side of Sec. 31 T. 20 N. - R. 8 E.

40.00 Set q. Sec. post from which
an Ironwood 8 in. diam. bears N 7 E 6 W. dir. 8
a Beech 14 " " " " S 79 W 33 " "

61.75 an Oak 36 " "

70.00 a Creek 100 W. wide corner S. W.

87.00 Set post cu. to Townships 19 & 20 North. Range -
7 & 8 East 2.68 N. of Temp. post on Range
line - from which

a Beech 14 in. diam. bears N 37 E 22 W. dir. 8
a Hornbeam 6 " " " " S 2 W 15 " "

Land & Timber same as on the last line -

Monmouth 22nd 1819 -

West Boundary. - Jan. 6th 1819

413

T. 19 N. - R. 8 E. 3rd Mer Indiana.

ds. lbs.
 North on E. Side of Sec. 36 T. 19 N. - R. 7 E.
 25.10 a W. Oak 36 in. diam.
 40.00 Set q. Sec. post from which
 a W. Oak 10 in. diam. bears N 45 W 5 W. dist. 8
 an Ash 6 " " " N 84 E 16 " "
 72.15 an Elm 36 " "
 80.00 Set post cor. to Sec. 25 & 36 from which
 an Ash 8 in. diam. bears N 6 E 22 W. dist. 8
 a Hickory 10 " " " N 79 W 28 " "
 Rich Land. Rich. Sugar. Ash. Oak. Spruce.

North on E. Side of Sec. 25 T. 19 N. - R. 7 E.
 19.80 an Ash 12 in. diam.
 40.00 Set q. Sec. post from which
 a W. Oak 24 in. diam. bears N 63 W 10 W. dist. 9
 a Slo 12 " " " S 33 E 6 " "
 63.80 a Hickory 12 " "
 80.00 Set post cor. to Sec. 24 & 25 from which
 a W. Oak 18 in. diam. bears N 88 E 27 W. dist. 8
 an Ironwood 8 " " " S 49 W 23 " "
 Low Land. Timber same as on the last line.

North on E. Side of Sec. 24 T. 19 N. - R. 7 E.
 20.70 a W. Oak 20 in. diam.
 40.00 Set q. Sec. post from which
 a W. Oak 24 in. diam. bears N 3 W 2.75 dist. —
 post set in low wet prairie.
 71.87 a W. Oak 24 in. diam.
 80.00 Set post cor. to Sec. 13 & 24 from which
 a Hickory 24 in. diam. bears N 51 E 12 W. dist. 8
 a W. Oak 8 " " " S 51 W 2 " "
 Sand & Timber same as on the last line.

North on E. Side of Sec. 13 T. 19 N. - R. 7 E.
 16.70 a Hickory 24 in. diam.
 40.00 Set q. Sec. post from which

Ms 19 N. - R. 8 E. 2nd Mer. Indiana

a Beech 8 in. diam. bears N 79 E 9 W. dist. 9
 an Elm 24 " " " N 30 W 9 " "
 57.30 a W. Oak 18 " "
 62.00 a Road
 80.00 Set post cen. to Sec. 12 & 13 from which
 a Sugar 18 in. diam. bears S 20 W 11 W. dist. 9
 a Hickory 10 " " " N 33 E 40 " "
 Sand & Timber same as on the last line.

North on E. Side of Sec. 12 T. 19 N. - R. 7 E.
 5.38 Enter White River corner N. W. set post from which
 an Elm 36 in. diam. bears N 39 W 33 W. dist. 9
 a Mahogany 10 " " " N 51 E 12 " "
 11.30 over River & set post on N. bank from which
 a Buckeye 12 in. diam. bears E. W. 28 W. dist. 9
 a Sugar 12 " " " N 20 E 22 " "
 40.00 Set q. Sec. post from which
 a Hickory 12 in. diam. bears S 73 E 29 W. dist. 9
 a Sugar 36 " " " S 80 W 64 " "
 80.00 Set post cen. to Sec. 1 & 13 from which
 a Buckeye 10 in. diam. bears S 29 W 13 W. dist. 9
 a Syc 8 " " " S 88 E 14 " "
 Rich land. Timber Beech. Sugar. Hackberry.
 ampt. Spice. Poplar - &c.

North on E. Side of Sec. 1 T. 19 N. - R. 7 E.
 33.50 a Creek 100 W. in a corner S. W.
 35.00 Same " " " " S. E.
 40.00 Set q. Sec. post from which
 a Hornbeam 16 in. diam. bears N 28 E 208 W. dist. 9
 a Willow 10 " " " S 46 W 153 " "
 41.00 Creek 100 W. in a corner S. W.
 82.00 Set post cen. to Towns 19 & 20 N. Range 7 & 8 E.
 a Beech 14 in. diam. bears N 37 E 22 W. dist. 9
 a Hornbeam 6 " " " S 2 W 15 " "
 Sand & Timber same as on the last line.

415

July 19th N. - W. & E. 2nd Mer. Indiana.

South, East and West Boundaries
Surveyed by John Mc. Donald -
North by James H. Mc. Donald -

Subdivision

North Return Sec. 35 & 36

18.71 a Beech 18 in. diam.

20.80 a Stream 10 ft. wide corner W.

40.00 Set g. Sec. post from which

a W. Oak 8 in. diam. bears N 40 E 25 ft. dist. &

a Hickory 20 " " " S 34 W 23 " " "

70.40 a Set 20 " "

80.00 Set post cor. to Sec. 25, 26, 35 & 36 from which

a Beech 8 in. diam. bears N 60 E 37 ft. dist. &

a Do " " " S 44 W 15 " "

Land rolling 3rd rate. Beech, Oak, Spruce &

East or Random Return Sec. 35 & 36 -

40.00 Set temp. g. Sec. post -

78.83 Enter at Bound. line 33 ft. N. of post -

Land level 1st & 3rd rate. Last 1/2 2nd rate -

Ash, Beech, Oak, Spruce &

West Corriet Return Sec. 35 & 36 -

39.44 Set g. Sec. post at angle div. from which

a W. Oak 24 in. diam. bears S 40 W 24 ft. dist. &

an Oak 4 " " " N 21 E 13 " "

78.83 To Sec. Corner.

North Return Sec. 25 & 26 -

18.25 a Hickory 20 in. diam.

40.00 Set g. Sec. post from which

an Oak 4 in. diam. bears N 31 W 9 ft. dist. &

a W. Oak 30 " " " S 48 E 21 " "

54.80 a Branch 6 ft. wide corner W.

55.38 a W. Oak 24 in. diam

July 19th N. - W. & E. 9th Mer. Indiana.

80.00 Set post en. to Secs 23, 24, 25 & 26 from which
a Dogwood 5 in. diam. bears S 53 W 23 W. dir. 8
an Ironwood 4 " " " " " " " " " " " "
Sand lent 2nd rate. Ash, Oak, Buck, Spruce &c

East on Random Return Secs 24 & 25 -

9.40 a Stream 7 W. under Corn N.W.

40.00 Set temp. ga. Sec. post.

75.65 at March 5 W. under Corn N.W.

78.00 Intersect E. Bound. line 68 W. N. of post.

Sand lent 2nd rate. Buck, Oak, Elm, Spruce &c

West Corner Return Secs 24 & 25 -

39.00 Set ga. Sec. post at an angle dir. from which
a Buck 4 in. diam. bears N 4 E 15 W. dir. 9
a Do 5 " " " " " " " " " " " "

78.00 To Sec. Corner.

North Return Secs 23 & 24

6.50 a Stream 6 W. under Corn N.W.

12.85 a Buck 20 " " " " " " " " " " " "

32.22 a Hickory 24 in. diam.

40.00 Set ga. Sec. post from which

a Buck 24 in. diam. bears O 38 W 54 W. dir. 9

a Dogwood 5 " " " " " " " " " " " "

57.25 an Ash 12 " " " " " " " " " " " "

80.00 Set post en. to Secs 13, 14, 23 & 24 from which

a Hickory 18 in. diam. bears S 35 E 16 W. dir. 9

a W. Oak 40 " " " " " " " " " " " "

Sand rolling 2nd rate. Buck, Hickory, Oak, Spruce, Pines &c

East on Random Return Secs 13 & 14 -

40.00 Set temp. ga. Sec. post.

78.04 Intersect E. Bound. line 163 W. N. of post.

Sand lent 2nd rate. Oak, Buck, Hickory, Ash,
Hazel, Pines &c

417

19 N. - W. 8 E. 2nd Mer. Indiana.

West Corner Return Secs. 13 & 14 -

39.02 Set q. Sec. Post at array dir. from which
an Elm 24 in. diam. bears N 31 W 19 ft. dir. of
an Ash 24 " " " S 4 E 31 " "
78.04 To Sec. Corner

North Return Secs. 13 & 14 -

16.30 a Walnut 24 in. diam.
22.50 Enter a Prairie
40.00 Set q. Sec. post from which & Lean Prairie
a W. Oak 40 in. diam. bears N 53 E 18 ft. dir. of
a B. Oak 10 " " " S 25 W 68 " "
53.90 a Hickory 12 " "
80.00 Set post Cu. to Secs. 11, 12, 13 & 14 from which
a W. Oak 30 in. diam. bears N 27 E 14 ft. dir. of
a Do 15 " " " S 47 W 16 " "
Sand lens 2nd rate. W. B. Oak 8

East on Random Return Secs. 12 & 13 -

40.00 Set temp. q. Sec. Post
78.24 Enter at Bound. line 150 ft. N. of Post -
Sand lens 2nd rate. Beech. Sugar. W. Oak -
Spec. Dogwood 8

West Corner Return Secs. 12 & 13 -

39.12 Set q. Sec. Post at array dir. from which
a W. Oak 18 in. diam. bears S 11 E 9 ft. dir. of
a Do 8 " " " N 4 E 48 " "
78.24 To Sec. Corner. May 21st 1821 -

North Return Secs. 11 & 12.

8.00 Enter a Prairie
18.50 Lean the Do
33.75 a B. Oak 30 in. diam.
40.00 Set q. Sec. Post from which
a Hickory 20 in. diam. bears N 20 E 14 ft. dir. of

ms 19 N. - R. & E. 3rd Mer. Indiana.

- a Hickory 2 in. diam. bears S 31 W. 27 W. dist. 11
 53.75 a W. Oak 24 " " "
 57.50 Enter a Prairie.
 67.50 Leave the "
 69.26 To White River 150 W. side of road S. W. Current
 moderate. Set post on S. side from which
 a Mulberry 7 in. diam. bears S 51 W. 22 W. dist. 9
 a Hackberry 12 " " " N 60 E 27 " "
 72.50 On River set post on N. side from which
 a Hackberry 34 in. diam. bears N 2 E 21 W. dist. 9
 an Ash 5 " " " N 81 W 51 " "
 79.00 a Spring runs S. E.
 80.00 Set post cu. to Sec. 1, 2, 11 & 12 from which
 a Dogwood 4 in. diam. bears N 10 W 22 W. dist. 9
 a Do 3 " " " S 73 E 9 " "
 Sand rolling 3rd rate. W. B. Oak. Dogwood. Pines &

East on Random between Sec. 1 & 12 -

- 10.75 3 Spring run S.
 40.00 Set temp. gr. Sec. post -
 42.00 To White River 2 ch. via corner S. W. (rapids) -
 78.73 Enter at E. Bound. line. 204 W. N. of post -
 Sand rolling 1st rate. Ash. Buck. Oak. Walnut. Spice &

West corner between Sec. 1 & 12 -

- 34.00 To W. River set post from which
 a Sycamore 12 in. diam. bears S 15 W 18 W. dist. 9
 a Dogwood 3 " " " S 75 E 3 " "
 39.36 Set gr. Sec. post at same dist. from which
 a Sycamore 6 in. diam. bears S 10 W 22 W. dist. 9
 a Do 24 " " " N 61 W 25 " "
 78.73 To Sec. corner.

North Return Sec. 1 & 12 -

- 15.14 a Sugar 24 in. diam.
 40.00 Set gr. Sec. post from which

419

T. 19 N. - R. 8 E. 2nd Mer. Indiana.

at B. Oak 14 in. diam. bears N 21 E 14 W. dist. 18
 a Sugar 20 " " " 470 N 48 " "
 55.12 a Hickory 10 " "
 73.43 Entered N. Round. line 6 W. E. of post.
 when set post C. to Sec. 1 & 2 from which
 a Buck 10 in. diam. bears N 60 E 46 W. dist. 18
 a Do 15 " " " 016 E 35 " "
 Sand lent 2nd rate. Ash. Buck. Sugar. Spruce &
 May 22nd 1831 -

North Bottom Sec. 34 & 35 -
 14.17 an Ash 20 in. diam. & Enter a Swamp
 36.60 a Branch 5 W. wide Course N. W.
 40.00 Set q. Sec. post from which
 an Elm 10 in. diam. bears S 70 E 40 W. dist. 18
 a Do " " " S 49 E 48 " "
 45.00 a Stream 10 W. wide Course S. W.
 48.50 a Do 12 " " " S. E. -
 53.20 an Elm 10 in. diam.
 62.60 a Stream 13 W. wide Course S. W.
 80.00 Set post C. to Sec. 26, 27, 34 & 35 from which
 a W. Oak 10 in. diam. bears N 54 W 17 W. dist. 18
 a Do " " " N 87 E 29 " "
 Sand lent 3rd rate. Elm. B. Oak. Pines &

East or Random Bottom Sec. 26 & 35 -
 5.00 a Stream 12 W. wide Course S.
 15.00 Leave the Swamp
 40.00 Set temp. q. Sec. post.
 81.16 Entered N. S. line 100 W. S. of post -
 Sand rolling 2nd rate. Buck. Hickory. Spruce &

West Corner Bottom Sec. 26 & 35 -
 40.58 Set q. Sec. post at average dist. from which
 a Buck 20 in. diam. bears S 54 W 17 W. dist. 18
 a Sugar 30 " " " N 54 E 34 " "

M 19 N. - V. R. 8 E. 2nd Mev. Indiana.

81.16 To Sec. Corner.

North Return Sect. 26 & 27 -

40.00 Let g. Sec. post from which
a Willow 4 in. diam. has S 13 E 23 W. dist. 9
at B. Oak 18 " " " N 36 W 67 " "

41.00 Leave the Swamp

60.25 a Hickory 10 in. diam.

80.00 Let Post Rn. to Sect. 22, 23, 26 & 27 from which
a W. Oak 10 in. diam. has S 48 E 16 W. dist. 9
an Elm 13 " " " N 30 W 22 " "

Land level 3rd rate. Oak, Buck, Spruce, Willow, Pines &

East on Random Return Sect. 23 & 26 -

9.50 Enter a Swamp

12.00 a Stream 10 ft. wide Corner S.

26.50 Leave the Swamp

40.00 Let g. Sec. post from which (temp.)

61.70 a Stream 10 ft. wide Corner S. W.

80.30 Put end of Rn. line 140 ft. E. of post -

Land rolling 3rd rate. Buck, Pines, Wild Rose, Willows &

West Corner Return Sect. 23 & 26 -

40.15 Let g. Sec. post or range dist. from which
an Ironwood 3 in. diam. has N 22 W 3 W. dist. 9
a W. Oak 20 " " " S 22 E 4 " "

80.30 To Sec. Corner

North Return Sect. 22 & 23 -

13.95 a W. Oak 13 in. diam.

40.00 Let g. Sec. post from which

an Ash 8 in. diam. has N 50 E 12 W. dist. 9
a W. Oak 36 " " " S 50 W 35 " "

55.25 a Hickory 20 " "

80.00 Let Post Rn. to Sect. 14, 15, 22 & 23 from which

a Poplar 8 in. diam. has S 34 W 13 W. dist. 9

Ms 19 N. R. 8 E. 2nd Mer. Indiana.

An Elm b'w. diam. trans N to 23 mi. dist.
Sand rolling 3rd rate Hickory, Oak. Pine &c
October 8th. 1821 —

East on Rand on return Sec. 14 & 23-

2.50. *Enter a Prairie.*

30.50 Leave the do.

40.00 Set temp. of Sec. Post.

61.00 Enter a Pair.

77.00 Learn the Dr.

80.50 Internal N.S. line 140 mi. S. of post

Sand rolling 3rd rate. Oak Ye-

West Corner Station Loc. 14 + 23 -

40.25 Sgt. L. par at amay dist. from which
a W. Oak 6 in. diam. Has 156 E 29 W. dist. 9
at B. W. almost 16 ~ ~ ~ No 171 31 " "

8.50 To L. C. Corner.

North Detroum Locs. 14 & 15

19.25 Any Elm St. in. diam.

240.00 Set of Lec. Post from which
Millow 3 Indian Pears N 55 W 20 Mi. dist. X

46.00 Leave the Seecamp

80.00 Set post in Prairie Co. to Sect. 10, 11, 14 & 15 T. which
at B. Oak 8 in diam. was 88 W. 200 ft. dist.

East on Random Return Sec. 11 & 14 -

31.00 Learn the Praying.

Ms. 50 *Sept. temp. . gr. Sec. Post.*

Mo. 00. Sup. Comp. & Co. Sec. Post-
80.00 Duties on M. Line 317 No. 6. of post

Sand low 3rd ratio. Oak & S-

West Cornett return Sect. 11414 -

40.00 Serg. Lee. Post at camp dir. from which
Emash 6 in. diam. Kans No 5 W 82 W. P. dir. X

Ms 19 N. - R. & E. J. - Mer. Indiana.

an Elm 12 in. diam. bears N 4 W 109 W. dir.
80.00 To Sec. Corner.

North Return Sec. 10 & 11 -

16.40 Leave the Prairie
21.00 a W. Oak 40 in. diam
40.00 Set q. Sec. post from which
a Mulberry 12 in. diam. bears N 35 E 12 W. dir. 9
a W. Oak 26 " " West 8 " "
" " a Spring Corn E runs North -
45.40 a Stream 10 W. side Corn N.W.
48.90 Do 10 " " " N.E.
69.50 an Elm 12 in. diam.
72.50 To White River 300 W. side Corn N. Current
moderate - Set post on S. side from which
an Elm 12 in. diam. bears S 5 W 75 W. dir. 8
75.75 on River & set post from which
a Buck 24 in. diam. bears N 50 W 10 W. dir. 9
a Hickory 20 " " " S 50 E 45 " "
80.00 Set post en. to Sec. 2, 3, 10 & 11 from which
a Buck 24 in. diam. bears S 52 E 14 W. dir. 8
a Buckeye 22 " " " N 80 W 45 " "
Sand rolling 3rd rate. Oak 8

East on Random between Sec. 2 & 11 -

6.00 a Branch 6 W. side Corn S.W.
20.00 To White River 140 W. side " S.W. - rapids
40.00 Set temp. q. Sec. post -
80.00 Intersect N. line 368 W. S. of post
1st 1/2 mile less 1st rate - East 1/2 mile 3rd rate -

West Corner between Sec. 2 & 11 -

40.00 Set q. Sec. post as average dir. from which
a Maple 20 in. diam. bears S 5 E 35 W. dir. 8
an Ash 2 " " " S 74 W 5 " "
80.00 To Sec. Corner.

423

As 19 N. - W. 8 E. 3rd Mer. Indiana.

North Return Sect. 2 & 3

18.60 a Beech 20 in. diam.

40.00 Set g. Sec. post from which

a W. Oak 16 in. diam. has N 31 W 6 W. dir. 8

a Beech 12 " " " 456 W 12 " "

57.50 an Elm 30 " "

77.80 Intersect N. Bound. line, 21 W. W. of post -

when set post on to Sect. 2 & 3 from which

a W. Oak 12 in. diam. has N 85 W 39 W. dir. 9

a Beech 30 " " " 47 E 14 " "

Sand rolling 2nd rate. Ash. Beech. Oak. Spruce.

Pines &

October 9th 1831 -

North Return Sect. 33 & 34 -

8.90 a Beech 20 in. diam.

40.00 Set g. Sec. post from which

a Poplar 14 in. diam. has N 26 E 15 W. dir. 9

a Beech 12 " " " 426 W 15 " "

51.80 a Swamp Ash

80.00 Set post on to Sect. 27, 28, 33 & 34 from which

a Beech 18 in. diam. has N 78 W 6 W. dir. 9

a Do 16 " " " 154 E 16 " "

Sand lent 3rd rate. Beech. Hickory. Spruce &

East and Random Return Sect. 27 & 34 -

40.00 Set temp. g. Sec. post.

80.00 Intersect N. B. line 84 W. S. of post.

Sand lent 3rd rate. Beech. Hickory. Spruce. Pines &

West Corner Return Sect. 27 & 34 -

40.00 Set g. Sec. post at corner dir. from which

a Sugar 12 in. diam. has N 2 W 40 W. dir. 9

a Dogwood 14 " " " 431 W 20 " "

80.00 To Sec. Corner.

North Return Sect. 27 & 28 -

M 19 N. R. & E. 2nd Mer. Indiana.

12.00 a Beech 12 in. diam.

40.00 Set gp. Sec. post from which

a Beech 10 in. diam. bears N 45 W 16 mi. dir. N

a Do 11 " " " S 11 E 20 " "

69.89 a Do 14 " "

80.00 Set a post en. to Secs. 21, 22, 27 & 28 from which

an ash 2 in. diam. bears N 0 E 16 mi. dir. S

a Do 10 " " " S 5 W 17 " "

Sand level 3rd rate. Beech, ash, Oak, Spruce &c

East on Random between Secs. 22 & 27.

40.00 Set temp. gp. Sec. post.

87.30 Entered Mt. line 35 mi. E. of post.

Sand level 3rd rate. Beech, Oak, Hickory, Spruce &c

West Corner between Secs. 22 & 27.

40.65 Set gp. Sec. post at an ag. dir. from which

an ash 26 in. diam. bears N 67 E 10 mi. dir. S

an Elm 24 " " " N 83 W 26 " "

87.30 To Sec. Corner.

North Return Secs. 21 & 22.

23.90 a Hickory 12 in. diam.

40.00 Set gp. Sec. post from which

a Beech 12 in. diam. bears N 0 E 25 mi. dir. N

a Sugar 6 " " " S 27 W 23 " "

68.40 a Hickory 8 " "

80.00 Set post en. to Secs. 15, 16, 21 & 22 from which

a Hickory 4 in. diam. bears N 70 E 40 mi. dir. N

a W. Oak 40 " " " S 88 W 26 " "

Sand level 3rd rate. Beech, Oak, Hickory, Spruce, Pines.

East on Random between Secs. 15 & 22.

40.00 Set temp. gp. Sec. post.

87.12 Entered Mt. line 50 mi. E. of post.

Sand level 3rd rate. Beech, Hickory, Oak, Spruce, Ash &c

425

W 19 N. - R. 8 E. T^h Mer. Indiana.

West Corner between Secs 15 & 22

40.56 Set gp. Sec. post at average dist. from which
an Elm 15 in. diam. bears N 40 E 6 in. dist. &
an Ash 3 " " " S 42 W 16 " "
81.12 To Sec. Corner October 10th 1821

North between Secs 15 & 16-

20.80 a Hickory 8 in. diam.
40.00 Set gp. Sec. post from which
a Hickory 12 in. diam. bears N 5 E 7 in. dist. &
a Buckeye 4 " " " S 46 W 17 " "
57.75 a W. Oak 20 " "
63.00 a Branch 4 in. wide corner W.
77.00 a Mound & Circular intrenchment
80.00 Set post onto Secs 9, 10, 15 & 16 from which
an Elm 4 in. diam. bears N 34 E 8 in. dist. &
a Beech 12 " " " S 34 W " "
Sand rolling 2nd rate. Beech. Sugar. Spruce &

East on Random between Secs 10 & 15-

40.00 Set temp. gp. Sec. post-
81.18 Intrench. 10 in. 10 in. S. of post.
Sand level 2nd rate. Beech. Sugar. Spruce &

West Corner between Secs 10 & 15-

40.59 Set gp. Sec. post at average dist. from which
a W. Oak in. diam. bears S 10 W 27 in. dist. &
a Hickory 24 " " " North 3 " "
81.18 To Sec. Corner.

North between Secs 9 & 10

27.36 a Sugar 10 in. diam.
40.00 Set gp. Sec. post from which
a W. Beech 4 in. diam. bears N 44 W 19 in. dist. &
an Ironwood 6 " " " S 20 E 22 " "
57.38 a Hickory 20 " "

19 N. - W. & E. 2nd Mer. Indiana.

70.00 To White River 1 chain wide corner S. W. rapid
 Set post on S. side from which
 a Sycamore 24 in. diam. bears S 80 E 75 W. dist. 15
 a Willow 4 " " " N 80 W 5 " "
 80.00 Set post on to Secs. 3, 4, 9 & 10 in the River -
 for trees convenient
 Sand rolling 3rd rate, Beech, Oak, Spruce, Briers &c.

East on Random between Secs. 3 & 10 -

31.00 To White River 170 W. wide corner S. W. -
 Current moderate.

40.00 Set temp. gr. Sec. post.

81.50 Put fence on N. line 36 W. S. of post.
 Sand lent 1st rate, Beech, Sugar, Buckeye, Spruce &c.

West corner between Secs. 3 & 10 -

40.75 Set gr. Sec. post as range dir. from which
 a B. Walnut 6 in. diam. bears N 52 E 30 W. dist. 9
 a Sycamore 48 " " " S 32 W 56 " "

47.75 To White River Set post from which
 a Spruce 10 in. diam. bears N 79 W 8 W. dist. 8
 a W. Buck 6 " " " S 54 E 11 " "

81.50 To Sec. Corner.

North between Secs. 3 & 44

5.00 at Branch 6 W. wide corner E -

30.20 an Elm 6 in. diam.

40.00 Set gr. Sec. post from which

a W. Oak 12 in. diam. bears N 71 W 26 W. dist. 8
 an Elm 12 " " " S 11 E 15 " "

59.54 a Hickory 26 " "

79.35 Put fence on Round. line 3.50 W. of post.

when set post from which (on to Secs. 3 & 44)

a Hickory 12 in. diam. bears N 80 E 26 W. dist. 9

a Beech 24 " " " S 77 W 46 " "

Sand rolling 3rd rate, Timber Beech,

127
J. 19 N. - W. 8 E. 2nd Mer. Indiana

Ash, Sugar, sugar, Spruce
October 11th 1831-

North Return Loc. 32 & 33-

18.10 at Beech 20 in. diam.

40.00 Let g. Loc. post from which
a Sugar 18 in. diam. bears N 64 W 29 W. dist. 9
an Elm 4 " " " S 57 E 11 " "

64.75 a Sugar 18 " "

80.00 Let post. en. to Loc. 28. 29. 32 & 33 from which
a Beech 15 in. diam. bears N 33 E 17 W. dist. 9
a W. Oak 18 " " " S 10 E 11 " "

Land lent 3rd rate. Beech. Ash. Hickory, Spruce

East w/ Random Return Loc. 28 & 33-

40.00 Let temp. g. Loc. post.

80.10 Intersect N. line 35 W. S. of post.

Land lent 3rd rate. Beech. Hickory, Spruce

West Corner Return Loc. 28 & 33-

40.05 Let g. Loc. post at corner dist. from which
a Beech 24 in. diam. bears N 80 E 22 W. dist. 9
a Hickory 24 " " " S 81 W 25 " "

80.10 To Loc. Corner.

North Return Loc. 28 & 29-

20.25 at W. Oak 22 in. diam.

40.00 Let g. Loc. post from which
an Elm 20 in. diam. bears N 53 E 20 W. dist. 9
a White Beech 4 " " " South 44 " "

60.20 a Sugar 10 " "

80.00 Let post. en. to Loc. 20. 21. 28 & 29 from which
a Beech 6 in. diam. bears N 39 E 25 W. dist. 9
a Do 48 " " " S 10 W 41 " "

Land lent 3rd rate. Beech. Sugar, Hickory, Spruce

July 19. N. - R. & E. J. ^{2d} Mer. Indiano.

East on Random between Sect. 21 & 28 -

40.00 Let temp. q. Lec. post.

80.00 Intersect Mt. line 26 W. S. of post.

Sand lent 2nd rate. Buck. Ash. Hickory. Spruce &c.

West Corner between Sect. 21 & 28 -

40.00 Let q. Lec. post at average dist. from which
a Mulberry 4 in. diam. bears N 77 W 7 W. dist. 9
a Sugar 6 " " " " N 33 E 30 " "

80.00 To Lec. Corner.

North Return Sect. 20 & 21

15.40 a Poplar 8 in. diam.

40.00 Let q. Lec. post from which
an Elm 6 in. diam. bears N 50 W 10 W. dist. 9
a W. Buck 5 " " " " S 11 E 8 " "

59.00 a W. Oak 36 " "

80.00 Let post cu. to Sect. 16, 17, 20 & 21 from which
a W. Oak 12 in. diam. bears N 81 E 9 W. dist. 9
a W. Oak 10 " " " " N 20 W 23 " "

Sand lent 3rd rate. Buck. Oak. Pine &c.

East on Random between Sect. 16 & 21 -

27.25 a Branch 6 W. wide corner N.

40.00 Let q. Lec. post (temp.)

80.10 Intersect Mt. line 40 W. S. of post.

Sand rolling 3rd rate. Buck. Hickory Oak. Hazel &c.

West Corner between Sect. 16 & 21

40.05 Let q. Lec. post at average dist. from which
an Ash 4 in. diam. bears N 45 W 6 W. dist. 9
a Sugar 6 " " " " N 20 W 12 " "

80.10 To Lec. Corner.

North Return Sect. 16 & 17

8.60 To White River 160 W. wide corner N. Moderate

Oct 19th - W. & E. 3rd New. Indiana. 429

- Current - Set post from which
 a Hickory 12 in. diam. was N 70 - 12 W. dist. 9
 a Beech 10 " " " S 43 E 30 " "
- 11.50 over River & set post on N. side from which
 a Buckeye 10 in. diam. was N 80 W 16 W. dist. 9
 a Do 10 " " " N 87 E 20 " "
- 20.00 a Swamp Oak 12 in. diam.
- 40.00 Set g. Sec. post from which
 a Sugar 12 in. diam. was N 50 W 37 W. dist. 9
 a Dogwood 4 " " " S 31 E 11 " "
- 58.35 a Hickory 10 " "
- 80.00 Set post Cu. to Sec. 8. g. 16 & 17 from which
 a Hickory 6 in. diam. was S 3 E 30 W. dist. 9
 a W. Oak 7 " " " N 63 W 38 " "
- Sand rolling 3rd rate. Buck. Oak. Hickory. Spruce.
 Pines. Hazel &c. October 13th 1821 -

- East on Rand m. between Sec. 9 & 16 -
- 40.00 To White River 150 W. side corner of current -
 moderate. & set temp. g. Sec. post -
- 80.10 Intersect M. line 39 W. E. of post -
 Sand rolling 3rd rate. Buck. W. Oak. Pines &c

- West corner between Sec. 9 & 16 -
- 36.50 Set post on White River from which
 a Willow 6 in. diam. was S 12 W 25 W. dist.
- 40.50 over River & set post from which
 an Elm 40 in. diam. was S 44 E 21 W. dist. 9
 a Hazel 4 " " " N 33 W 35 " "
- 80.10 To Sec. corner.

- North between Sec. 8 & 9 -
- 16.25 a Hickory 12 in. diam.
- 40.00 Set g. Sec. post from which
 a Dogwood 6 in. diam. was N 44 E 20 W. dist. 9
 a W. Oak 20 " " " S 39 W 17 " "

4307 *ms* 19 N. - W. 8 E. 2nd Mer. Indiana

68.70 a W. Oak 40 in. diam.
80.00 Set post on. to Sec. 4. 5. 8 & 9 from which
a Beech 10 in. diam. bears S 76 W 13 W. dist. 8
a Do 18 " " " S 9 E 20 " "
Sand lent 3rd rate Beech Oak. 7 Meis &

East on Random between Sec. 4 & 9 -
40.00 Set temp. gp. Sec. post
79.50 To White River
80.00 Put out M. line 30 W. E. of post.
Sand lent 3rd rate. Beech. Pines &

West corner between Sec. 4 & 9 -
40.00 Set gp. Sec. post at arroyo dist. from which
a Beech 10 in. diam. bears S 64 E 4 W. dist. 8
a Do 12 " " " N 74 W 25 " "
80.00 To Sec. Corner.

North Return Sec. 4 & 5 -
15.00 a Pond 2 chains wide
21.10 a Beech 18 in. diam.
40.00 Set gp. Sec. Post from which
a Sugar 6 in. diam. bears N 47 E 20 W. dist. 9
a Hickory 12 " " " S 35 W 20 " "
60.75 a Sugar 10 " "
80.00 Put out N. Bound. line 42.5 W. N. of post -
when set post on. to Sec. 4 & 5 from which
a W. Walnut 6 in. diam. bears N 81 E 70 W. dist. 8
an Elm 6 " " " N 53 W 30 " "
Sand lent 2nd rate. Beech. Sugar Oak. Spruce &
October 13th 1821 -

North Return Sec. 31 & 32
8.48 an Elm 18 in. diam.
40.00 Set gp. Sec. post from which
a Beech 6 in. diam. bears N 6 E 16 W. dist. 8 -

431

July 19 N. - V.P. 8 E. 3rd Mer. Indiana.

at Buck 10 in diam. bears S 5 E 33 W. dist.
 53.08 at March 4 W. wide corner S. W.
 63.85 at Buck 24 in. diam.
 80.00 Set post cu. to Secs. 29, 30, 31 & 32 from which
 at Buck 15 in. diam. bears N 35 E 5 W. dist. 8
 a W. Oak 6 " " " S 22 W 20 " "
 Sand lent 2nd rate. Buck. Sugar. Spice 8

East on Random between Secs. 29 & 32
 40.00 Set temp. gr. Sec. post.
 80.65 Enterer N. line 125 W. S. of post.
 Sand lent 2nd rate. Buck. Sugar. Spice 8

West Corner between Secs. 29 & 32
 40.32 Set gr. Sec. post at average dist. from which
 an Ash 20 in. diam. bears S 18 E 30 W. dist. 8
 at Buck 4 " " " N 22 W 2 " "
 80.65 To Sec. Corner

West Return Secs. 30 & 31 -
 25.40 at Buck 24 in. diam.
 40.00 Set gr. Sec. post from which
 a Swamp Ash 4 in. diam. bears N 41 W 12 W. dist. 8
 a Hickory 10 " " " S 35 E 25 " "
 60.50 a Do 24 " "
 85.38 Enterer N. Bound. line 86 W. N. of post -
 when set post cu. to Secs. 30 & 31 from which
 at B. Oak 30 in. diam. bears S 49 E 46 W. dist. 8
 at Buck 15 " " " N 49 W 6 " "
 Sand lent 2nd rate. Buck. Sugar. Spice 8

North Return Secs. 29 & 30 -
 32.35 at Buck 36 in. diam.
 40.00 Set gr. Sec. post from which
 a S. Ash 12 in. diam. bears N 5 W 25 W. dist. 8
 at B. Walnut 10 " " " S 41 E 35 " "

W 19 N. - R. & E. 2nd Mer. Indiana.

61.38 a W. Oak 30 in. diam.

80.00 Set post ca. to Sec. 19. 20. 29 + 30 from which
a W. Oak 15 in. diam. bears S 16 E 62 W. dist. 8

a W. Oak 24 " " " N 33 W 19 " "

Sand lent 3rd rate. Rich. Oak. Pines &

East on Random bottom Sec. 20 + 29 -

40.00 Set temp. g. Sec. post.

79.90 Enter at M. line 92 W. S. of post -

Sand lent 3rd rate. Rich. Oak. Hickory. Pines &

West Correct bottom Sec. 20 + 29 -

39.95 Set g. Sec. post at average dist. from which
an Oak 10 in. diam. bears S 37 W 22 W. dist. 8
a Hickory 20 " " " N 36 E 22 " "

79.90 To Sec. Corner.

West Bottom Sec. 19 + 30 -

12.50 Enter a Prairie

26.50 Leave the Do

36.05 a W. Oak 15 in. diam.

40.00 Set g. Sec. post from which

a W. Oak 27 in. diam. bears S 83 W 40 W. dist. 8

a Do 38 " " " N 75 E 22 " "

48.50 a Do 22 " "

49.00 Enter a Swamp 21 chains wide -

85.33 Intersect W. Bound. line 27 W. N. of post

when set post ca. to Sec. 19 + 30 from which

a B. Walnut 6 in. diam. bears S 73 E 27 W. dist. 8

a Hickory 24 " " " S 83 W 36 " "

Sand adding 3rd rate. W. Oak. Pines &

North Bottom Sec. 19 + 20

16.80 at Branch Corner W.

28.75 a W. Oak 30 in. diam.

40.00 Set g. Sec. post from which

433

T. 19 N. - T. 8 E. 3rd Mer. Indiana.

a W. Oak 20 in. diam. bears N 75 W 16 W. dist. 4
 a Do 24 " " " " S 19 W 51 " "
 61.45 a Do 26 " " "
 80.00 Set post ca. to Secs. 17, 18, 19 & 20 from which
 a Buckeye 12 in. diam. bears S 87 E 39 W. dist. 4
 a Hickory 6 " " " " S 66 W 7 " "
 Sand lene 3rd rate, Oak, Hickory, Pines &

East on Rand on between Secs. 17 & 20.
 40.00 Set temp. gp. Sec. post.
 60.90 at Branch 5 W. in. in Corns N.
 64.90 a Do 6 " " " " N.
 79.84 Intersect N. line 59 W. S. of post -
 Sand lene 3rd rate, Buck. Oak, Pines &

West Corner between Secs. 17 & 20 -
 39.92 Set gp. Sec. post at approx. dist. from which
 an Elm 4 in. diam. bears S 37 E 27 W. dist. 4
 a W. Oak 6 " " " " S 70 W 9 " "
 79.84 To Sec. Corner October 15th 1891 -

West Return Secs. 18 & 19 -
 19.70 a W. Oak 20 in. diam.
 40.00 Set gp. Sec. post from which
 a Hickory 4 in. diam. bears S 41 W 31 W. dist. 4
 a W. Oak 18 " " " " N 85 E 32 " "
 59.75 an Elm 24 " " "
 85.00 Intersect N. Bound. line 93 W. N. of post -
 when set post ca. to Secs. 18 & 19 from which
 an Elm 12 in. diam. bears S 6 E 65 W. dist. 4
 a W. Oak 28 " " " " N 31 E 44 " "
 Sand lene 3rd rate, Oak, Elm, Pines &

North Return Secs. 17 & 18 -
 18.65 a Cherry 10 in. diam.
 40.00 Set gp. Sec. post from which -

July 19 N. - R. & E. 9th Mo. Indiana

- on Ironwood 8 in. diam. bears N45 W 21 W. dist. 9
 a Hickory 3 " " " S34 E 17 " "
 43.70 To White River 150 W. under corner N.W. moderate
 current - set post from which
 a W. Oak 9 1/2 in. diam. bears N62 W 10 W. dist. 9
 on Ironwood 4 " " " S57 W 22 " "
 47.15 On River set post from which
 a H. Locust 3 in. diam. bears N37 E 21 W. dist. 9
 a Willow 3 " " " South 50 " "
 48.00 Enter a Prairie
 59.90 Leave the Do - an Elm 40 in. diam.
 60.00 Set post cor. to Sec. 7, 8, 17 & 18 from which
 a W. Oak 10 in. diam. bears N10 W 44 W. dist. 9
 a Do 10 " " " N30 E 8 " "
 Sand hilly 3rd rate. Buck. Oak. Elm, Spruce &

East on Random between Sec. 8 & 17 -

- 40.00 Set temp. g. Sec. post.
 80.18 Tunnel N.W. line 35 W. E. of post.
 Sand level 3rd rate. Oak. Pines &

West corner between Sec. 8 & 17

- 40.09 Set g. Sec. post at average dist. from which
 a Chestnut 30 in. diam. bears N61 E 22 W. dist. 9
 a Dogwood 6 " " " S75 W 5 " "
 80.18 To Sec. Corner.

West between Sec. 7 & 18 -

- 20.35 a W. Oak 12 in. diam.
 40.00 Set g. Sec. post from which
 a W. Oak 5 in. diam. bears N33 W 29 W. dist. 9
 a Hickory 10 " " " N63 E 13 " "
 53.60 a W. Oak 40 " "
 61.00 Enter a Prairie
 71.50 Leave the Do
 76.50 To White River 200 W. under corner N.W. Current

435
J. 19 N. - P. 8 E. 3rd Sec. Indiana.

moderate - Set a post from which
a Lye amon 30 in. diam. bears S 64 W 7 W. dist. 9
a Red Locust 6 " " " N 30 W 37 " "
80.20 On River & set post from which
a B. Walnut 12 in. diam. bears S 71 E 20 W. dist. 9
a W. Oak 24 " " " N 24 W 46 " "
84.50 Intersect N. Bound. line 110 W. N. of post
where set post cu. to Sect. 7 & 8 from which
a W. Oak 36 in. diam. bears S 63 W 37 W. dist. 9
a Hawthorn 4 " " " N 46 E 6 " "
Sand rolling 3rd rate. Oak, Pines &c

North Return Sect. 7 & 8 -

21.35 an Elm 36 in. diam.
40.00 Set q. Sec. post from which
a Dogwood 6 in. diam. bears N 60 E 51 W. dist. 9
a W. Oak 24 " " " S 33 W 17 " "
61.65 an Elm 18 " "
80.00 Set post cu. to Sect. 5, 6, 7 & 8 from which
a B. Oak 30 in. diam. bears S 26 E 38 W. dist. 9
a Buck 10 " " " N 57 W 50 " "
Sand lent 2nd rate. Buck, Elm, Oak, Spruce, Pines &c

East on Random between Sect. 5 & 8 -

40.00 Set temp. q. Sec. post.
80.30 Intersect M.S. line 30 W. N. of Post.
Sand lent 2nd rate. Buck, Oak, Elm, Spruce, Pines &c

West corner between Sect. 5 & 8 -

40.15 Set q. Sec. post at same dist. from which
an Ash 15 in. diam. bears S 74 W 34 W. dist. 9
a Hickory 18 " " " N 80 E 57 " "
80.30 To Sec. corner.

North Return Sect. 5 & 6 -

31.45 a W. Oak 30 in. diam.

ms 19 N. W. & E. 2nd Qu. Indiana

ch. 2. 16y.

40.00 Set g. Sec. post from which
a Sugar 12 in. diam. was N 58 W 16 W. dist. 8
a Oak 15 " " " 43 E 10 "

72.80 a B. Walnut 30 " "

80.94 Intersect N Bound. line 5.75 W. of post.
when set Post cut to Sec. 5 & 6 from which
a Sugar 10 in. diam. was N 48 E 22 W. dist. 8
a Hickory 12 " " " 95 W 13 "
Sand rolling 2nd Nat. Ash. Beech. Sugar.
Hickory Spruce & October 16th 1821.

West Return Sec. 6 & 7

15.75 an Oak 30 in. diam.

40.00 Set g. Sec. post from which
an Elm 6 in. diam. was N 50 E 19 W. dist. 8
a W. Oak 40 " " " 35 W 35 " "

66.00 a B. Oak 24 " "

83.65 Intersect W Bound. line 210 W. N. of post.
when set Post cut to Sec. 6 & 7 from which
a Beech 5 in. diam. was South 25 W. dist. 8
a Buckeye 4 " " " N 63 E 7 " "
Sand rolling 2nd Nat. Ash. Oak. Spruce. Fir &

Meanders of White River. Beginning at
Post in N. W. Bound. line on N. Side. Thence

Courses Distances

Remarks-

452 E 10.00

In Sec. 7

46 E 2.50

To line of sec. 17 & 18.

047 E 11.00

In Sec. 18

068 E 37.50

022 E 4.00

054 E 14.25

078 E 12.00

033 E 13.00

011 E 7.25

To line of sec. 17 & 18.

437

W. M. R. & E. J. M. Indiana.

Course	Distance	
Y49E	4.50	In Sec. 17
S75E	9.75	
N60E	9.00	
S70E	13.25	
S50E	8.50	
S26E	4.50	
S38E	5.50	
S20E	7.75	
S62E	17.50	
N85E	15.50	
S74E	1.75	To line of Sect. 16 & 17.
<hr/>		
N75E	18.00	In Sec. 16-
N70E	12.60	
N62E	2.00	Lower point of an Island.
N20W	3.35	
N65E	6.08	Upper point of Island.
N29E	3.50	
S85E	4.89	
N7E	7.45	
N12W	6.74	
N15E	7.75	
N34E	19.80	
N4W	7.41	
N70W	14.90	To line of Sect. 9 & 16-
<hr/>		
N59W	4.25	In Sec. 9
N39W	10.00	
N26W	11.12	
N30W	6.34	
N2E	7.23	
N25E	7.40	
N40E	5.70	
N29E	10.46	
N43E	7.35	
N58E	7.50	

N68E 9.83
 N86E 20.65
 N37E 3.40
 N9E 10.80
 N21W 3.40

To line of Sec. 4 & 9 -

N21W 4.80

In Sec. 4 -

N71E 10.50

N87E 15.60

N67E 10.26

N17E 7.80

N84W 9.00

N51E 2.69

N63E 3.00

N50E 17.50

N80E 6.25

N88E 21.94

N67E 3.50

N58E 3.34

Sec. line

.89

N86E 10.00

N80E 7.80

N29E 2.50

N13W 3.00

N16E 3.30

Sec. line

N39E 7.13

N65E 7.50

N34E 3.00

Sec. line -

N59E 5.00

N41E 7.00

N62E 5.36

N75E 9.70

N88E 7.90

N65E 8.50

N40E 5.95

N80E 2.64

These meanders are evidently erroneous
 from the intersection of line between Secs.
 16 & 17 - Probably by platting them
 the true intersections might be obtained
 But from the above line to the East
 Boundary no reliance can be placed
 upon their accuracy -
 "Transcribed"

439

Sec. 19 N. - R. 8 E. T²^d Mer. Indiana

M40E	.70	Sec. line
	6.00	
M52E	4.72	
D85E	9.08	
D66E	4.50	
M71E	2.90	
M59E	3.89	
D86E	8.50	
M75E	4.46	Sec. line.
M69E	3.45	
M57E	6.27	
M63E	6.45	
M20E	4.42	
M10E	7.56	
M4W	5.68	
M6E	5.50	
M4W	4.25	
M9E	4.00	
M43E	8.88	
M56E	16.50	
M33E	3.28	To E. Boundary line -

Meanders of South bank of White River
Beginning at post in East Boundary.

Courses	Distances	Remarks
D64W	8.15	In Sec. 1
D54W	14.00	
D27W	5.15	
D5W	7.34	
D—	8.50	
D5W	5.00	
D20W	7.34	
D43W	2.00	
D53W	5.90	
D61W	5.83	To post in line of sec. 14 & 12

440 *ms* 19 N. - W. 8 E. 2nd Mer. Indiana

461 W	6.67	In Sec. 12
174 W	5.62	
182 W	8.50	
180 W	6.00	
181 W	11.26	
144 W	8.75	at 1.50 at Branch 5 W. wide from S.E. To line of sec. 11 & 12
169 W	3.34	

440 W	5.75	In Sec. 11
159 W	7.31	
178 W	11.96	
173 W	6.30	
162 W	6.34	
168 W	4.00	
150 W	23.00	
140 W	3.50	
L	6.68	at Branch 4 W. wide from S.E.
141 W	3.50	
183 W	8.50	
175 W	5.75	at 4.50 a Stream 10 W. wide from S.E. To line of sec. 10 & 11 -
184 W	6.85	

182 W	2.07	In Sec. 10
166 W	9.70	
182 W	8.50	
181 W	9.63	
162 W	7.80	
150 W	8.50	
160 W	4.40	
152 W	5.70	
150 W	6.60	
121 E	13.50	
162 W	1.50	To line of sec. 3 & 10 -

162 W	2.70	In Sec. 3
180 W	17.60	

441

Prof 19 N. - W. C. 8 E. 2nd Mer. Indiana

078W	3.75	To line of Sect. 3 & 10-
052W	4.50	
06W	1.50	
06W	2.50	In Sec. 10-
07E	4.50	To line of Sect. 9 & 10-
023W	4.00	
09W	7.00	In Sec. 9
065W	5.76	To line of Sect. 9 & 16-
086W	11.18	
075W	6.39	
072W	12.60	
050W	8.24	
031W	13.32	
047W	6.31	
022W	5.50	
04E	6.00	
027E	27.73	
060E	9.00	
072E	12.50	In Sec. 16- at 12.00 at Branch.
025E	3.50	
07W	9.90	5 W. side from N.E.
030W	12.00	
040W	5.00	Upper point of Island
017W	5.00	
03E	15.70	
045W	9.00	
W-	1.50	at 4.10 at Branch from S.W.
068W	5.00	
059W	7.73	
067W	12.25	
078W	14.00	To line of Sect. 16 & 17
085W	2.62	
086W	16.29	In Sec. 17

442

C^{ms} 19 N. - W. R. & E. 2nd Mer. Indiana.

N73W 5.28

N59W 17.20

N23W 11.00

N42W 16.00

N80W 10.00

S50W 10.00

N70W 4.10

N57W 6.60

N40W 3.70

at 14.75 at branch from S.W.

To line of sect. 17 & 18.

N57W 2.50

N23W 17.12

N80W 3.70

N79W 3.50

S60W 3.78

S68W 6.75

S49W 4.00

S22W 5.00

N60W 8.50

N35W 4.50

N72W 17.40

N58W 11.50

N61W 6.75

N45W 11.60

In Sec. 18

Upper point of Island
Lower " " "

To line of sect. 7 & 18.

N45W 5.90

To Post in West Boundary -

Surveyed in October 1891

by W. B. Reathby Sep. 1891

443
Twp 19 N. - R. 8 E. 3^d Mer. Indiana

I certify that the foregoing transcript of the
Field Notes of Township 19 North, in Range
8 East of the 3rd Meridian, in Indiana
has been compared with the original in
this office, and found to be correct.

Surveyor General's Office,
Indianapolis, October 12th 1843

William Johnston
Sur. Genl.